

Montageanleitung 9183

(GB)	Mounting Instructions	920 .../925 .../930 ...
(F)	Notice de Montage	931 .../933 .../935 ...
(NL)	Montage Voorschrift	
(I)	Istruzione per l'Installazione	
(S)	Montageanvisning	
(E)	Instrucciones de Montaje	
(SF)	Asennusohje	
(DK)	Monteringsvejledning	
(N)	Montasjeveiledning	




230 V / 50 Hz

max. = 12 kg

max. = 500 W QT-DE


QT-E 27 150/250 W

HIT-DE/HST-DE 70/150/250/400 W



NORKA

A






max. 5 kV





935... max. 45 kV

B



max. 16 A




C**D**

- (D) Nur mit Abschlußglas verwenden
- (GB) Use only with cover glass
- (F) A utiliser seulement avec une vitre protective
- (NL) Alleen met afschermkap gebruiken
- (I) Da utilizzare solo con vetro di protezione
- (S) Vid arbete måste skyddskåpan vara på
- (E) A usar solamente con un vidrio protector
- (SF) Käytä vain suojalasin kanssa


E

HIT-DE
HST-DE


HIT-DE
HST-DE




F




900 902




900 931





900 903




900 937




900 906





900 901





- Ⓓ Abstand zu brennbaren Flächen beachten
- ⒼⒷ Please observe the necessary distance to inflammable surfaces
- Ⓕ Prière de respecter la distance indiquée par rapport aux surfaces inflammables
- ⒼⒹ De minimale afstand tot brandbare oppervlakte moet minstens 1 mtr. bedragen
- Ⓘ La minima distanza per illuminare non deve essere al di sotto del valore 1m indicato
- Ⓐ Observa det notvändiga avståndet till brännbar yta
- Ⓔ Considerar la distancia necesaria a superficies inflamables
- ⒶⒻ Muista suojaetäisyys pintamateriaaleihin



NORKA

NORDDEUTSCHE KUNSTSTOFF-
UND ELEKTRO-GESELLSCHAFT
STÄCKER MBH & CO. KG

Lichttechnische Spezialfabrik

Sportallee 8
D-22335 Hamburg

Postfach 63 02 63
D-22312 Hamburg

Tel.: +49 40 - 51 30 09 - 0
Fax: +49 40 - 51 30 09 - 28

www.norka.de
info@norka.de